



TIRE CHANGERS

ACCESSORIES CATALOG

2022

JohnBean

INDEX

▶ PRECISION TOOLING KITS	3
▶ REDUCTION CONES	4
▶ TIRE LEVERS BEAD BREAKING	5
▶ BEAD BREAKING	6
▶ TIRE MOUNTING	7-8
▶ M/D HEADS & ACCESSORIES	9-11
▶ CLAMPING ADAPTERS & PROTECTORS	12-13
▶ HEAVY-DUTY	14-15

UNIVERSAL REVERSE MOUNT WHEEL KIT

EAA0364G00A



► COMPATIBLE MODELS

- » T7800
- » T7700

► DETAILS

- » Cylindrical pins (5) 24mm
- » Conical pins (5) 24mm
- » Used with small steel cone EAM0003J05A
- » Replacement Bolt 2401414
- » Replacement Knob C0028

REVERSE MOUNT WHEEL KIT

EAA0351G60A



► COMPATIBLE MODELS

- » T7100

► DETAILS

- » Cylindrical pins (5) 24mm
- » Conical pins (5) 24mm
- » Replacement Bolt 2401414
- » Replacement Knob C0028

CONICAL PIN

3003776



► COMPATIBLE MODELS

- » EAA0364G00A
- » EAA0351G60A

► DETAILS

- » Replacement pin 24mm for reverse mount wheel kit
- » 78mm length

CYLINDRICAL PIN

3003777



► COMPATIBLE MODELS

- » EAA0364G00A
- » EAA0351G60A

► DETAILS

- » Replacement pin 24mm for reverse mount wheel kit
- » 89mm length

CONICAL PIN

EAA0440G50A



► COMPATIBLE MODELS

- » EAA0351G60A
- » EAA0364G00A

► DETAILS

- » Set of 5 pins
- » 19mm diameter
- » 110mm length

LIGHT TRUCK WHEEL KIT

EAA0351G29A



► COMPATIBLE MODELS


- » T7800
- » T7700
- » T7100

► DETAILS

- » Cone Ø 118-173mm EAM0067G48A
- » Spacer 50mm height EAA0350G77A

LIGHT TRUCK WHEEL KIT

EAA0349G06A



▶ COMPATIBLE MODELS

- » T7800
- » T7700
- » T7100

▶ DETAILS

- » Cone Ø 135-175mm
- EAM0042G77A
- » Spacer 85mm height
- EAA0345G69A

CONE KIT

EAK0317G32A



▶ COMPATIBLE MODELS

- » T7800
- » T7700

▶ DETAILS

- » Cone Ø 42-85mm
- » (1) Steel Cone EAM0117G47A
- » (3) Plastic Protectors
- EAC0100G66A

REDUCTION CONE

EAM0058G12A



▶ COMPATIBLE MODELS

- » T7800
- » T7700
- » T7100

▶ DETAILS

- » Cone Ø 64mm

REDUCTION CONE

EAM0058G07A



▶ COMPATIBLE MODELS

- » T7800
- » T7700
- » T7100

▶ DETAILS

- » Cone Ø 78mm

REDUCTION CONE

EAC0099G40A



▶ COMPATIBLE MODELS

- » T7800
- » T7700
- » T7100

▶ DETAILS

- » Cone Ø 120mm

REDUCTION CONE

EAC0102G25A



▶ COMPATIBLE MODELS

- » T7800
- » T7700
- » T7100

▶ DETAILS

- » Cone Ø 145mm

STANDARD TIRE LEVER TOOL

EAA0247G02A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

TIRE LEVER PROTECTIVE SLEEVE

EAA0247G04A



- ▶ **COMPATIBLE MODELS**
- » EAA0247G02A

- ▶ **DETAILS**
- » Black plastic protector for standard tire lever tool

WAVE PLUS TIRE LEVER

EAC0097G47A



- ▶ **COMPATIBLE MODELS**
- » All Tire changers

- ▶ **DETAILS**
- » Specially shaped lever for hard tire beads

WAVE LEVER SLEEVE

EAC0115G06A



- ▶ **COMPATIBLE MODELS**
- » EAC0097G47A

- ▶ **DETAILS**
- » Black plastic protector for wave tire lever tool

POWERMONT™ UPPER PROTECTOR

EAK0341G32A



- ▶ **COMPATIBLE MODELS**
- » T7800
- » T7700

- ▶ **DETAILS**
- » Upper Tool Protector (10 pieces)
- » EAK0330G57A for units manufactured before March 2019

POWERMONT™ LOWER PROTECTOR

EAK0330G58A



- ▶ **COMPATIBLE MODELS**
- » T7800
- » T7700

- ▶ **DETAILS**
- » Lower Tool Protector (10 pieces)

BEAD BREAKER DISC

EAA0328G91A



- ▶ **COMPATIBLE MODELS**
- » EAA0329G35B - MH320

- ▶ **DETAILS**
- » Used only with Pneumatic Bead Assist
- » Used with Hex Bar EAA0329G92A

BEAD BREAKER BLADE PROTECTOR

ST0026582



- ▶ **COMPATIBLE MODELS**
- » All Rim Clamping Tire Changers

BEAD BREAKER BLADE PROTECTOR

EAA0304G15A



- ▶ **COMPATIBLE MODELS**
- » All Rim Clamping Tire Changers

SLIP-ON SHOE

EAA0329G74A



- ▶ **COMPATIBLE MODELS**
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

- ▶ **DETAILS**
- » Reduces gap between bead breaker blade and rubber pad

MOTORCYCLE BEAD BREAKER BLADE

EAA0247G14A




- ▶ **COMPATIBLE MODELS**
- » System IV
- » System III / T1545T
- » System II

- ▶ **DETAILS**
- » Narrower than standard blade
- » Slips on the bead breaker blade

ROLLER BOARD

EAA0304G51A



- ▶ **COMPATIBLE MODELS**
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

- ▶ **DETAILS**
- » Allows for easy rotation of the tire for positioning of breaking beads

SPACER FOR BEAD BREAKER - 20MM

EAA0440G51A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » 20mm Spacer

SPACER FOR BEAD BREAKER - 50MM

EAA0440G52A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » 50mm Spacer

SPACER FOR BEAD BREAKER - 70MM

EAA0440G53A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » 70mm Spacer

PNEUMATIC BEAD ASSIST (MH320)

EAA0329G34B



- ▶ **COMPATIBLE MODELS**
 - » System V / T5745T
 - » System IV

- ▶ **DETAILS**
 - » Helps mounting/demounting stiff sidewalls and low profile tires

PNEUMATIC BEAD ASSIST (MH310)

EAA0329G33B



- ▶ **COMPATIBLE MODELS**
 - » System III / T1545T
 - » System II

- ▶ **DETAILS**
 - » Helps mounting/demounting stiff sidewalls and low profile tires

ROD WITH ROLLER

EAA0332G32A



- ▶ **COMPATIBLE MODELS**
 - » EAA0329G35B - MH320

- ▶ **DETAILS**
 - » Rod with roller attachment
 - » Helps upper bead mounting
 - » Conical Roller EAM0046G46A
 - » Optional for Bead Assist EAA0329G35B

HEX BAR WITH ROLLER

EAA0329G92A



- ▶ **COMPATIBLE MODELS**
 - » EAA0329G35B - MH320

- ▶ **DETAILS**
 - » Hex Bar with roller attachment
 - » Helps upper bead mounting
 - » Roller EAM0032G96A
 - » Optional for Bead Assist EAA0329G36B

ROLLER MOUNTING HELP TOOL

EAA0304G48A



- ▶ **COMPATIBLE MODELS**
 - » T7100
 - » System V / T5745T
 - » System IV
 - » System III / T1545T
 - » System II

- ▶ **DETAILS**
 - » Bead depressing roller for high-performance, low-profile tires

WHEEL DEPRESSOR TOOL EXTENSION

ST4026913



- ▶ **COMPATIBLE MODELS**
 - » Any model with Pneumatic Bead Assist

- ▶ **DETAILS**
 - » Needed when pressing down deep reversed wheels during clamping

BEAD CLAMP

EAA0358G85A



- ▶ **COMPATIBLE MODELS**
 - » All Tire Changers

- ▶ **DETAILS**
 - » Helps upper bead mounting, especially on low-profile and stiff tires

BEAD CLAMP

EAA0247G70A



- ▶ **COMPATIBLE MODELS**
 - » All Tire Changers

- ▶ **DETAILS**
 - » Helps upper bead mounting, especially on low-profile and stiff tires

PLASTIC RIM PROTECTOR

EAA0304G52A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » Clip-on type
- » Set of 3

RIM PROTECTOR

EAA0408G33A




- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » Clip-on type
- » Protect the rim from scratch

SMART BEAD SPACER

EAA0377G23A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » Holds the tire bead at multiple points in the drop center during the tire mounting

LUBE BUCKET

8-03229A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

- ▶ **DETAILS**
- » 7.5 lbs. Lube Bucket

LUBE BOTTLE

00066006000



- ▶ **COMPATIBLE MODELS**
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

TIRE LUBE SWAB

01267267000



- ▶ **COMPATIBLE MODELS**
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

LUBE BRUSH

5-14126A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

LUBE BRUSH

EAA0304G16A



- ▶ **COMPATIBLE MODELS**
- » All Tire Changers

STEEL MOUNT/DEMOUNT HEAD

EAA0329G95A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Steel mount/demount head

QUICK EXCHANGE DEVICE AND MOUNTING HEAD

EAK0341G66A



► COMPATIBLE MODELS

- » All Swing Arm Tire Changers

► DETAILS

- » Swing Arm models

PLASTIC MOUNT/DEMOUNT HEAD KIT

EAA0247G20A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Includes replacement plastic head and mounting brackets

REPLACEMENT PLASTIC MOUNT/DEMOUNT HEAD

EAM0043G71A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Replacement plastic mount/demount head

QUICK EXCHANGE DEVICE AND MOUNTING HEAD

EAA0304G66A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » For changing between plastic and steel mount/demount heads

PLASTIC MOUNT/DEMOUNT HEAD AND SUPPORT

EAA0503G62A



► COMPATIBLE MODELS

- » All Swing Arm Tire Changers

► DETAILS

- » Swing Arm models

REPLACEMENT PLASTIC MOUNT/DEMOUNT HEAD

EAM0169G90A



- **COMPATIBLE MODELS**
» All Swing Arm Tire Changers

- **DETAILS**
» Swing Arm models

QUICK EXCHANGE DEVICE AND MOUNTING HEAD

EAA0304G67A



- **COMPATIBLE MODELS**
» T7100
» System V / T5745T
» System IV
» System III / T1545T
» System II

- **DETAILS**
» For use with Audi, Ford, Honda, VW, Peugeot and other wheels with protruding spokes

PLASTIC MOUNT/DEMOUNT HEAD KIT

EAA0304G37A



- **COMPATIBLE MODELS**
» T7100
» System V / T5745T
» System IV
» System III / T1545T
» System II

- **DETAILS**
» For use with Audi, Ford, Honda, VW, Peugeot and other wheels with protruding spokes

REPLACEMENT PLASTIC MOUNT/DEMOUNT HEAD

EAM0043G70A



- **COMPATIBLE MODELS**
» T7100
» System V / T5745T
» System IV
» System III / T1545T
» System II

- **DETAILS**
» For use with Audi, Ford, Honda, VW, Peugeot and other wheels with protruding spokes

OFFSET MOUNT/DEMOUNT HEAD KIT

EAA0304G80A



- **COMPATIBLE MODELS**
» System V / T5745T

- **DETAILS**
» Includes Quick Exchange Device
» Must be used with the Sliding Jaw Kit EAA0331G91A
» Provides extended wheel diameter range

QUICK EXCHANGE DEVICE ADAPTER

EAA0329G27A



- **COMPATIBLE MODELS**
» T7100
» System V / T5745T
» System IV
» System III / T1545T
» System II

- **DETAILS**
» For use by adding additional mounting head
» Requires Quick Exchange Kit EAA0304G66A or EAA0304G67A

PROTECTIVE KIT FOR MOUNT/DEMOUNT HEAD

EAA0372G24A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Insert for mount/demount head
- » Plastic rim protector

PROTECTIVE INSERT FOR MOUNT/DEMOUNT HEAD

EAC0078G50A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Insert for mount/demount head

PROTECTIVE INSERT FOR MOUNT/DEMOUNT HEAD

EAC0113G61A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Screws Part #: 1-54410A
- » Pack of 5 EAK0315G48A

PLASTIC RIM PROTECTOR FOR MOUNT/DEMOUNT HEAD

EAC0078G13A



► COMPATIBLE MODELS

- » T7100
- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► DETAILS

- » Plastic rim protector

TOOL STORAGE

EAA0481G79A



► COMPATIBLE MODELS

- » T7800
- » T7700

LASER KIT

EAA0356G19A



► COMPATIBLE MODELS

- » System V / T5745T
- » System IV

► DETAILS

- » Identifying tool head placement for safe tire removal

LIGHT TRUCK JAW ADAPTERS

EAA0304G32A



▶ COMPATIBLE MODELS

- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

▶ DETAILS

- » Clamping jaws for tight truck wheels
- » Fits on center-type sliding jaw turntables

8" ATV & MOTORCYCLE ADAPTERS

EAA0329G53A



▶ COMPATIBLE MODELS

- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

▶ DETAILS

- » Fits on center-type, sliding jaw turntables
- » Can clamp 8" ATV and motorcycle wheels up to 23"

LIGHT TRUCK JAW ADAPTERS

EAA0351G95A



▶ COMPATIBLE MODELS

- » System II

▶ DETAILS

- » For non-adjustable fixed center jaws

8" ATV ADAPTERS

EAA0410G87A



▶ COMPATIBLE MODELS

- » System II

▶ DETAILS

- » For non-adjustable fixed center jaws
- » For ATV wheels

MOTORCYCLE JAWS

EAA0351G92A



▶ COMPATIBLE MODELS

- » System II

▶ DETAILS

- » For non-adjustable fixed center jaws to clamp motorcycle wheel
- » Plastic protector for jaw ST0029617
- » Screw (1 piece) 1-17609A

+6" ADAPTERS

EAA0351G93A



▶ COMPATIBLE MODELS

- » System II

▶ DETAILS

- » For non-adjustable fixed center jaws
- » Adds diameter capacity

4" EXTENSION FOR ADJUSTABLE JAWS

EAA0331G91A



▶ COMPATIBLE MODELS

- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

▶ DETAILS

- » Add 4" capability when clamping rims from outside

PLASTIC JAW PROTECTOR

EAK0329G86A



► **COMPATIBLE MODELS**

- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► **DETAILS**

- » Plastic protectors and screws
- » Jaws with 15 cleats
- » Screws 1-36109A2
- » EAC0113G47A for 1 piece
- » EAA0408G24A for rear protectors

PLASTIC JAW PROTECTOR

EAA0304G21A



► **COMPATIBLE MODELS**

- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► **DETAILS**

- » Jaws with 6 cleats
- » EAK0237J19A for kit of 4
- » 1-36306A for M5x10 screws

FRONT LIGHT ALLOY RIM PROTECTORS

EAA0351G90A



► **COMPATIBLE MODELS**

- » System II

FRONT/REAR LIGHT ALLOY RIM PROTECTORS

EAA0351G91A



► **COMPATIBLE MODELS**

- » System II

PLASTIC JAW PROTECTOR

ST0029617



► **COMPATIBLE MODELS**

- » System V / T5745T
- » System IV
- » System III / T1545T
- » System II

► **DETAILS**

- » Screw ST7205129
- » Bushing ST0013524
- » For EAA0329G53A

JAW INSERT PROTECTION

EAC0087G48A



► **COMPATIBLE MODELS**

- » All tire changers with sliding jaws (jaws with 6 cleats only)

CLAMPING JAWS

EAA0347G43A



► **COMPATIBLE MODELS**

» T8058

► **DETAILS**

» For Alloy Wheels (Set of 4)

OTR EXTENSION

ST4007611



► **COMPATIBLE MODELS**

» T8058

► **DETAILS**

» For Split-Ring Wheels

MOUNTING ROLL

ST4022287



► **COMPATIBLE MODELS**

» T8056
» T8026

► **DETAILS**

» For Tubeless Tires

CLAMP

EAA0329G05A



► **COMPATIBLE MODELS**

» T8058
» T8056
» T8026

► **DETAILS**

» For Alloy Wheels

JAW EXTENSIONS

ST4019161



► **COMPATIBLE MODELS**

» T8056

► **DETAILS**

» Increases clamping range up to 56"

PROTECTIVE ALLOY JAWS

ST4008264



► **COMPATIBLE MODELS**

» T8056

BEAD PUSHING LEVER

ST4002354



► **COMPATIBLE MODELS**

- » T8058
- » T8056

LONG TIRE LEVER

ST4004461



► **COMPATIBLE MODELS**

- » T8058
- » T8056
- » T8026



Snap-on® Total Shop Solutions (TSS) offers a wide range of equipment solutions for workshops, garages, car dealers, and tire shops, thanks to the specific solutions provided by its portfolio of premium brands. As a brand of TSS, John Bean is committed to providing innovative and reliable wheel solutions to the auto repair industry. Therefore, specifications listed in this sell sheet may change without notice. ©2022 Snap-on Incorporated. John Bean is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders. ss153523b 03/2022

